EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	417	identit$4 with address with network with stor$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 16:10
L2	14750	retriev$ with additional	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 16:10
L3	11	L1 and L2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 16:10
L4	3	L3 and @ad<"20020104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 16:10
L5	3	L4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 16:11
L6	118292	authenticat$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 16:11
L7	118292	L6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 16:11
L8	417	identit$4 with address with network with stor$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 16:11
L9	14750	retriev$ with additional	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 16:11

EAST Search History

L10	11	L8 and L9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 16:11
L11	11	L10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 16:11
L12	284	(identit$4 or profile) with IP with network with stor$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 16:11
L13	21	L12 and L9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 16:11
L14	9	L13 and @ad<"20020104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 16:11
L15	9	L14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 16:11
L16	9	L15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 16:11
L17	417	identit$4 with address with network with stor$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 16:11
L18	14750	retriev$ with additional	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 16:11
L19	11	L17 and L18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 16:11

L20	11	L19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 16:25
L21	75	accessing with profile with matching	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 16:25
L22	22	L21 and @ad<"20020104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 16:25
L23	12	L22 and identification	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 16:25
L24	12	L23	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 16:25
L25	111	assign$6 with range with telephone adj number	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 16:25
L26	64	L25 and @ad<"20020104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 16:25
L27	64	L26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 16:25
S1	38	(("20010023428") or ("20010138601") or ("5,602,907") or ("5,822,411") or ("5,828,737") or ("5,909,238") or ("5,946,670") or ("5,987,498") or ("6,016,509") or ("6,035,281") or ("6,141,684") or ("6,208,977") or ("6,282,573") or ("6,480,485") or ("6,611,821") or ("6,671,675") or ("6,728,266") or ("6,757,371")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/23 10:06

S2	270	identit$4 with address with network with stor$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 12:49
S3	10847	retriev$ with additional	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 10:10
S4	6	S2 and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 10:08
S5	2	S4 and @ad<"20020104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 16:10
S6	69	identit$4 with IP with network with stor$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 10:09
S7	156	(identit$4 or profile) with IP with network with stor$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 10:09
S8	12	S7 and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 10:10
S9	9	S8 and @ad<"20020104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 10:19
S10	1	"6122357".pn. and computer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 10:25
S11	1	"6122357".pn. and address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 10:29

EAST Search History

S12	0	"6122357".pn. and computer adj network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 10:29
S13	0	"6122357".pn. and computer near3 network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 10:29
S14	1	"6122357".pn. and internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 10:32
S15	1	"6122357".pn. and TCP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 10:34
S16	9429	709/217,225,227,228,229.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 17:10
S17	26	S16 and S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 10:34
S18	3	S16 and S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 10:34

S19	174	("3911227" | "4313035" | "4317962" | "4371752" | "4551581" | "4582956" | "4585906" | "4602129" | "4625081" | "4661975" | "4680785" | "4759056" | "4843377" | "4876717" | "4899358" | "4899373" | "4961217" | "5165095" | "5170426" | "5206899" | "5243643" | "5247571" | "5263084" | "5274695" | "5309512" | "5315649" | "5327578" | "5329578" | "5333173" | "5414755" | "5422936" | "5430791" | "5465290" | "5497411" | "5502759" | "5511111" | "5515426" | "5544235" | "5557665" | "5566229" | "5572583" | "5586177" | "5611051" | "5623537" | "5636269" | "5659605" | "5661782" | "5661791" | "5666400" | "5675628" | "5701121" | "5719921" | "5724411" | "5729592" | "5761290" | "5802145" | "5809130" | "5818836" | "5825865" | "5830700" | "5864614" | "5872834" | "5894504" | "5914701" | "5924070" | "5930700" | "5949869" | "5953399" | "5978450" | "5991364" | "6038305" | "6067347" | "6101242" | "6104913" | "6122357" | "6160877" | "6167119" | "6195568" | "6317484" | "6404858" | "6438216" | "RE34735").PN. OR ("5978450" | "6038305" | "6067347" | "6101242" | "6104913" | "6122357" | "6167119" | "6404858" | "6704405").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/23 11:56
S20	43	accessing with profile with matching	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 13:11
S21	19	S20 and @ad<"20020104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 13:12
S22	10	S21 and identification	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 13:12

EAST Search History

S23	87714	authenticat$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 11:10
S24	2	"6122357".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 11:10
S25	1	S24 and authent$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 11:25
S26	33	SSP with authent$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 11:25
S27	22	S26 and @ad<"20020104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 11:25
S28	299	identit$4 with address with network with stor$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 12:49
S29	299	identit$4 with address with network with stor$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 12:49
S30	11849	retriev$ with additional	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 12:49
S31	6	S29 and S30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 12:49
S32	6	S31	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 12:49

S33	2	S31 and @ad<"20020104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 12:49
S34	2	S33	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 12:49
S35	85	identit$4 with IP with network with stor$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 12:49
S36	85	S35	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 12:49
S37	187	(identit$4 or profile) with IP with network with stor$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 12:49
S38	187	S37	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 12:49
S39	17	S37 and S30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 12:49
S40	17	S39	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 12:49
S41	9	S39 and @ad<"20020104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 12:49
S42	9	S41	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 12:49

EAST Search History

S43	2	"6763468".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 12:11
S44	2	"20020049727" ·	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 15:22
S45	2	S44 and request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 15:33
S46	1	S44 and "340"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 15:35
S47	1	S44 and identify$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 17:09
S48	336	identit$4 with address with network with stor$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 17:09
S49	12856	retriev$ with additional	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 17:09
S50	7	S48 and S49	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 17:09
S51	7	S50	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 17:09
S52	215	(identit$4 or profile) with IP with network with stor$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 17:09

C:\Documents and Settings\awang2\My Documents\EAST\Workspaces\10038982.wsp

S53	17	S52 and S49	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 17:09
S54	17	S53	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 17:09
S55	9	S53 and @ad<"20020104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 17:10
S56	9	S55	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 17:10
S57	336	identit$4 with address with network with stor$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 17:10
S58	12856	retriev$ with additional	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 17:10
S59	7	S57 and S58	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 17:10
S60	7	S59	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 17:10
S61	7	S60	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 17:10
S62	215	(identit$4 or profile) with IP with network with stor$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 17:10

S63	17	S62 and S58	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 17:10
S64	17	S63	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 17:10
S65	100	identit$4 with IP with network with stor$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 17:10
S66	100	S65	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 17:10
S67	17	S63	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 17:10
S68	11578	709/217,225,227,228,229.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 17:18
S69	100	identit$4 with IP with network with stor$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 17:18
S70	11578	709/217,225,227,228,229.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 17:18
S71	4	S70 and S69	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 17:18
S72	4	S71	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 17:18

S73	2	"6122357".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 11:21
S74	1	S73 and range	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 11:22
S75	525	assign with range with number	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 11:22
S76	3850	assign$6 with range with number	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 11:23
S77	2479	S76 and @ad<"20020104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 11:23
S78	227	assign$6 with range with number with network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 11:23
S79	148	S78 and @ad<"20020104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 11:27
S80	13	assign$6 with range with number with network with location	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 11:27
S81	5	S80 and @ad<"20020104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 11:24
S82	6	assign$6 with range with number with central adj office	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 11:28

S83	6	S82 and @ad<"20020104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 11:29
S84	47	assign$6 with range with number with (OE (office adj equipment))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 11:30
S85	33	S84 and @ad<"20020104".	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 11:32
S86	47	assign$6 with range with number with ("OE" (office adj equipment))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 11:31
S87	0	assign$6 with range with number with office adj equipment	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 11:31
S88	0	assign$6 with range with number with office adj equipment	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 11:32
S89	146	assign$6 with range with telephone with number	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 11:32
S90	108	assign$6 with range with telephone adj number	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 11:32
S91	64	S90 and @ad<"20020104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 11:33
S92	62	accessing with profile with matching	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 14:44

EAST Search History

S93	21	S92 and @ad<"20020104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 14:44
S94	11	S93 and identification	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 14:44
S95	11	S94	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 14:44
S96	377	identit$4 with address with network with stor$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 14:44
S97	12534	709/217,225,227,228,229.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 14:44
S98	33	S97 and S96	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 14:44
S99	33	S98	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 14:44
S100	0	L7s27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 14:44
S101	36	SSP with authent$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 14:44
S102	23	S101 and @ad<"20020104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 14:44

S10 3	23	S102	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 14:44
S10 4	117	identit$4 with IP with network with stor$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 14:44
S10 5	12534	709/217,225,227,228,229.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 14:44
S10 6	7	S105 and S104	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 14:44
S10 7	7	S106	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 14:44
S10 8	7	S107	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 14:44
S10 9	108	assign$6 with range with telephone adj number	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 14:45
S11 0	64	S109 and @ad<"20020104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 14:45
S11 1	64	S110	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 14:45
S11 2	2	"6775255".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/31 17:56